

Message

---

**From:** AccardiDey, AmyMarie [AmyMarie.Accardi-Dey@wsp.com]  
**Sent:** 7/7/2020 11:06:16 AM  
**To:** Smeraldi, Josh [Smeraldi.Josh@epa.gov]  
**Subject:** Can I call you in the morning (Tues)?  
**Attachments:** Riverside Draft Proposed Plan 7-2-2020 (WSP edits July 7 stop 700am).docx

Josh – I have to run over to the doctor’s office for my OSHA physical at 8. I have my computer and the Proposed Plan file. Attached is what I completed this morning up to Page 10. I wanted to check with you that I am proceeding down the correct path. I am correcting errors in the text (such as the soil gas and the geology), and while I am reading, I am fixing acronyms and commas.

I am making many edits, so I wanted to check to confirm that I am “allowed” to continue with my “suggested” edits.

I am going to try calling you from the car or doctor’s waiting room to discuss.

Regards  
AM

PS: I made a lot of “suggested” edits to the soil and groundwater section on Page 5. A detection does not trigger a risk or a ARAR exceedance – it is just a lab detected results. I added language to explain when a contaminant exceeded ARAR, which is a concern.

**AmyMarie Accardi-Dey, PhD, PG, CPC**  
Director | Water & Environmental Systems



Phone: 1-914-620-5110  
Office: 1-914-798-3710  
Email: [AmyMarie.Accardi-Dey@wsp.com](mailto:AmyMarie.Accardi-Dey@wsp.com)

WSP USA  
565 Taxter Road, Suite 510  
Elmsford, New York 10523

**[wsp.com](http://wsp.com)**

---

NOTICE: This communication and any attachments ("this message") may contain information which is privileged, confidential, proprietary or otherwise subject to restricted disclosure under applicable law. This message is for the sole use of the intended recipient(s). Any unauthorized use, disclosure, viewing, copying, alteration, dissemination or distribution of, or reliance on, this message is strictly prohibited. If you have received this message in error, or you are not an authorized or intended recipient, please notify the sender immediately by replying to this message, delete this message and all copies from your e-mail system and destroy any printed copies.